



### **ROPE LIGHT | STRIP LIGHT | POWER SUPPLY**



### MODERN LED STRIP LIGHTING FOR YOUR OEM AND BRANDING



We are Vensen, your one-stop shop for all your LED rope lights, strips, and drivers requirements. Known for our high quality, we manufacture a vast variety of LED strips, rope light and drivers suited for all your projects. We work with one simple but effective formula: great quality products and speedy service. From relaxing warm white to vibrant RGB, our range includes 5mm, 8mm and 10mm available in both 12v and 24v. We also produce rope lights in 9 various colours including warm white, neutral white, white, red, green, blue, pink, Ice Blue and amber. With these we also manufacture drivers which

comes in three different series (Regular, Ultra, and Smart) ranging from 2Amp to 33Amp. Many of our luminaries now have the CRI 90 colour rendering standard, creating a warm natural light that stimulates a harmonious atmosphere to enhance your inspired designs. We have a team of experts dedicated to helping our clients with their queries and giving them the best suggestions for their requirements. You will find a huge range of top-notch LED strips and drivers, all of which are guaranteed to save you money on your electricity bills.



### 2835 | 60 LED | 12V DC

### SUPER BRIGHT 4.8W/M 60 LED STRIP LIGHT

### **TECHNICAL SPECIFICATIONS**

| LED CHIP               | 2835   |
|------------------------|--|
| LED per meter          | 60   |
| Max Wattage            | 4.8W/m   |
| Voltage                | 12V DC   |
| PCB Width              | 8MM  |
| IP Rating              | IP 20  |
| Dimension              | 5 Mtrs   |
| Colour Rendering Index | 80/90 CRI  |
| Beam Angle             | 120°   |
| Colours                | 3K, 4K, 6K, Red,Green, Blue, Pink, Amber, Ice Blue |

### 2835 | 120 LED | 12V/24V DC

### SUPER BRIGHT 9W/M 120 LED STRIP LIGHT

| LED CHIP               | 2835  |
|------------------------|---|
| LED per meter          | 120   |
| Max Wattage            | 9W/m  |
| Voltage                | 12V/24V DC  |
| PCB Width              | 8MM   |
| IP Rating              | IP 20   |
| Dimension              | 5 Mtrs  |
| Colour Rendering Index | 80/90 CRI   |
| Beam Angle             | 120°  |
| Colours                | 3K, 4K, 6K, Red, Green, Blue, Pink, Amber, Ice Blue |



# CRI 80

### 2835 | 180 LED | 12V DC

### SUPER BRIGHT 14W/M 180 LED STRIP LIGHT

### **TECHNICAL SPECIFICATIONS**

| LED CHIP               | 2835   |
|------------------------|--|
| LED per meter          | 180  |
| Max Wattage            | 14W/m  |
| Voltage                | 12V DC   |
| PCB Width              | 10MM   |
| IP Rating              | IP 20  |
| Dimension              | 5 Mtrs   |
| Colour Rendering Index | 80/90 CRI  |
| Beam Angle             | 120°   |
| Colours                | 3K, 4K, 6K, Red,Green, Blue, Pink, Amber, Ice Blue |



### SUPER BRIGHT 18W/M 240 LED STRIP LIGHT

| LED CHIP               | 2835  |
|------------------------|---|
| LED per meter          | 240   |
| Max Wattage            | 18W/m   |
| Voltage                | 12V/24V DC  |
| PCB Width              | 10MM  |
| IP Rating              | IP 20   |
| Dimension              | 5 Mtrs  |
| Colour Rendering Index | 80/90 CRI   |
| Beam Angle             | 120°  |
| Colours                | 3K, 4K, 6K, Red, Green, Blue, Pink, Amber, Ice Blue |





### 5050 | RGB | 60 LED | 12V DC

Multi Colour LED strip 13W/m

### SUPER BRIGHT 13W/M 60 LED RGB STRIP LIGHT

### **TECHNICAL SPECIFICATIONS**

| LED CHIP      | 5050                   |
|---------------|------------------------|
| LED per meter | 60                     |
| Max Wattage   | 13W/m                  |
| Voltage       | 12V DC                 |
| PCB Width     | 10MM                   |
| IP Rating     | IP 20                  |
| Dimension     | 5 Mtrs                 |
| Beam Angle    | 120°                   |
| Colours       | Multi colours from RGB |

### 2835 | CCT| 120/180 LED | 12V/DC

TRI Colour LED strip 14W/m

### SUPER BRIGHT 14W/M 180 LED 3in1 STRIP LIGHT

| LED CHIP               | 2835       |
|------------------------|------------|
| LED per meter          | 120L/180L  |
| Max Wattage            | 14W/m      |
| Voltage                | 12V/24V DC |
| PCB Width              | 10MM       |
| IP Rating              | IP 20      |
| Dimension              | 5 Mtrs     |
| Colour Rendering Index | 80/90 CRI  |
| Beam Angle             | 120°       |
| Colours                | 3К, 4К, 6К |






### 480 LED |COB| 24V DC

### SUPER BRIGHT 12W/M COB DOTLESS STRIP LIGHT

### **TECHNICAL SPECIFICATIONS**


| Max Wattage | 12W/m       |
|-------------|-------------|
| Voltage     | 24V DC      |
| PCB Width   | 10MM        |
| IP Rating   | IP 20       |
| Dimension   | 5 Mtrs      |
| Beam Angle  | 120°        |
| Colours     | 3K, 4K, 6K, |



### 2835 | 5MM| 120/180 LED | 12V/24V DC

### SUPER BRIGHT 9W/14W/M 120/180 LED 5mm STRIP LIGHT

| LED CHIP               | 2835       |
|------------------------|------------|
| LED per meter          | 120L/180L  |
| Max Wattage            | 9W/14W/m   |
| Voltage                | 12V/24V DC |
| PCB Width              | 5 MM       |
| IP Rating              | IP 20      |
| Dimension              | 5 Mtrs     |
| Colour Rendering Index | 80/90 CRI  |
| Beam Angle             | 120°       |
| Colours                | 3K, 4K, 6K |









### ROPE LIGHT 60/120 LED 220V/DC

Single Colour & RGB LED Rope Lights

### SUPER BRIGHT 9W/M 120LED STRIP LIGHT


| LED CHIP               | 2835   |
|------------------------|--|
| LED per meter          | 60L/120L   |
| Voltage                | 220V DC  |
| PCB Width              | 8MM  |
| IP Rating              | IP 65  |
| Dimension              | 50 Mtrs  |
| Colour Rendering Index | 80/90 CRI  |
| Beam Angle             | 120°   |
| Colours                | 3K, 4K, 6K, Red,Green, Blue, Pink, Amber, Ice Blue |






### LED POWER SUPPLY SERIES






LED POWER SUPPLY




### SMART SLIM






LED POWER SUPPLY



### **ULTRA SLIM** SERIES




### **PRODUCT FEATURES**

Built in short circuit / over-voltage overload / overheat protection
100% full load high temperature burning or aging

- Air natural convection cooling
- Working temp: -30°C~50°C Storage temp: -40°C~80°C Time between failures: >50000h

| ITEM NO. | Size (MM) | Input Voltage (V) | Output Voltage (V) | Output Current (A) | Output Power (W) |
|----------|-----------|-------------------|--------------------|--------------------|------------------|
| VS-T60   | 150*53*22 | 176-264V          | 12V                | 5A                 | 60W              |
| VS-T100  | 195*53*22 | 176-264V          | 12V                | 8.3A               | 100W             |
| VS-T120  | 226*53*22 | 176-264V          | 12V                | 10A                | 120W             |
| VS-T150  | 250*53*22 | 176-264V          | 12V                | 12.5A              | 150W             |
| VS-T200  | 282*53*22 | 176-264V          | 12V                | 16.5A              | 200W             |
| VS-T300  | 308*53*22 | 176-264V          | 12V                | 25A                | 300W             |
| VS-T333  | 308*53*22 | 176-264V          | 12V                | 33A                | 400W             |

### **REGULAR SLIM** SERIES



### **PRODUCT FEATURES**

- Built in short circuit / over-voltage overload / overheat protection
- 100% full load high temperature burning or aging
- Air natural convection cooling

- Working temp: -30°C~50°C Storage temp: -40°C~80°C Time between failures: >50000h

| ITEM NO. | Size (MM) | Input Voltage (V) | Output Voltage (V) | Output Current (A) | Output Power (W) |
|----------|-----------|-------------------|--------------------|--------------------|------------------|
| VS-E25   | 103*30*21 | 100-265V          | 12V                | 2A                 | 24W              |
| VS-E36   | 103*30*21 | 100-265V          | 12V                | 3A                 | 36W              |
| VS-E60   | 160*40*31 | 100-265V          | 12V                | 5A                 | 60W              |
| VS-E120  | 188*46*35 | 100-265V          | 12V                | 10A                | 120W             |
| VS-E150  | 213*60*40 | 185-265V          | 12V                | 12.5A              | 150W             |
| VS-E200  | 223*68*40 | 185-265V          | 12V                | 16.5A              | 200W             |
| VS-E360  | 223*69*40 | 185-265V          | 12V                | 30A                | 360W             |



### OUR SERVICES

### **OEM SERVICES (Branding and Printing)**

We provide on demand OEM customised services. We design printed PCB, special CCT, branded packaging and high CRI according to your brand.





## 24



### Shipment

We provide fast and reliable shipment for your manufactured good. \*

### **Technical Information**

We can help you guide and answer all the questions you may have related to our products.

### **Small MOQ/Flexibility**

Great business comes from small orders hence, we also accept small orders (T&C apply)

# **J**VENSEN

Lighting your brand

### Lighting your brand Lighting your life



Tel: +91 78498 25832/33/34 E: vensenlighting1@gmail.com W: www.vensenlighting.com

> VENSEN LIGHTING PVT. LTD. G979B, G979C, 3rd Phase, Sitapura Industrial Area, near Balaji market, Jaipur, Rajasthan